


PENDING CLAIMS  
Application No. 09/618,066  
Attorney Docket No. 05725.0656-00000  
Filed: July 17, 2000

1-156. (Cancelled)

157. (Previously presented) A process for non-migrating deposit of a lipstick composition comprising including in said lipstick composition at least one liquid continuous fatty phase, said at least one liquid continuous fatty phase being structured with a sufficient amount of an agent for non-migrating deposit of said lipstick composition, said agent comprising at least one structuring polymer, wherein said at least one structuring polymer is chosen from polymers of formula (I) below:



in which:

- n is an integer which represents the number of amide units such that the number of ester groups present in said at least one structuring polymer ranges from 10% to 50% of the total number of all said ester groups and all said amide groups comprised in said at least one structuring polymer;

- R<sup>1</sup>, which are identical or different, are each chosen from alkyl groups with at least 4 carbon atoms and alkenyl groups with at least 4 carbon atoms;

-  $R^2$ , which are identical or different, are each chosen from  $C_4$  to  $C_{42}$  hydrocarbon-based groups with the proviso that at least 50% of  $R^2$  are chosen from  $C_{30}$  to  $C_{42}$  hydrocarbon-based groups;

-  $R^3$ , which are identical or different, are each chosen from  $C_2$  to  $C_{36}$  hydrocarbon-based groups; and

-  $R^4$ , which are identical or different, are each chosen from hydrogen and  $C_1$  to  $C_{10}$  alkyl groups, with the proviso that at least 50% of all  $R^4$  are chosen from hydrogen; and


wherein said lipstick composition further comprises at least one dyestuff chosen from pigments and nacles.

158. (Previously presented) A process according to Claim 157, wherein said lipstick composition has a hardness ranging from 20 g to 2000 g.

159. (Original) A process according to Claim 158, wherein said hardness ranges from 20 g to 900 g.

160. (Original) A process according to Claim 159, wherein said hardness ranges from 20 g to 600 g.

161. (Previously presented) A process for non-migrating deposit of a lipstick composition comprising at least one continuous liquid fatty phase comprising structuring said fatty phase with a sufficient amount of at least one structuring polymer, wherein said at least one structuring polymer is chosen from polymers of formula (I) below:



in which:

- n is an integer which represents the number of amide units such that the number of ester groups present in said at least one structuring polymer ranges from 10% to 50% of the total number of all said ester groups and all said amide groups comprised in said at least one structuring polymer;

- R<sup>1</sup>, which are identical or different, are each chosen from alkyl groups with at least 4 carbon atoms and alkenyl groups with at least 4 carbon atoms;

- R<sup>2</sup>, which are identical or different, are each chosen from C<sub>4</sub> to C<sub>42</sub> hydrocarbon-based groups with the proviso that at least 50% of R<sup>2</sup> are chosen from C<sub>30</sub> to C<sub>42</sub> hydrocarbon-based groups;


- R<sup>3</sup>, which are identical or different, are each chosen from C<sub>2</sub> to C<sub>36</sub> hydrocarbon-based groups; and

- R<sup>4</sup>, which are identical or different, are each chosen from hydrogen and C<sub>1</sub> to C<sub>10</sub> alkyl groups, with the proviso that at least 50% of all R<sup>4</sup> are chosen from hydrogen; and

wherein said lipstick composition further comprises at least one dyestuff chosen from pigments and nacles.

162-167. (Cancelled)

168. (Previously presented) A process for non-migrating deposit of a foundation composition comprising including in said foundation composition at least one liquid continuous fatty phase, said at least one liquid continuous fatty phase being structured with a sufficient amount of an agent for non-migrating deposit of said foundation composition, said agent comprising at least one structuring polymer, wherein said at least one structuring polymer is chosen from polymers of formula (I) below:



in which:

- n is an integer which represents the number of amide units such that the number of ester groups present in said at least one structuring polymer ranges from 10% to 50% of the total number of all said ester groups and all said amide groups comprised in said at least one structuring polymer;

- R<sup>1</sup>, which are identical or different, are each chosen from alkyl groups with at least 4 carbon atoms and alkenyl groups with at least 4 carbon atoms;

- R<sup>2</sup>, which are identical or different, are each chosen from C<sub>4</sub> to C<sub>42</sub> hydrocarbon-based groups with the proviso that at least 50% of R<sup>2</sup> are chosen from C<sub>30</sub> to C<sub>42</sub> hydrocarbon-based groups;

- R<sup>3</sup>, which are identical or different, are each chosen from C<sub>2</sub> to C<sub>36</sub> hydrocarbon-based groups; and

-  $R^4$ , which are identical or different, are each chosen from hydrogen and  $C_1$  to  $C_{10}$  alkyl groups, with the proviso that at least 50% of all  $R^4$  are chosen from hydrogen; and


wherein said foundation composition further comprises at least one dyestuff chosen from pigments and nacles.

169. (Previously presented) A process according to Claim 168, wherein said foundation composition has a hardness ranging from 20 g to 2000 g.

170. (Previously presented) A process according to Claim 169, wherein said hardness ranges from 20 g to 900 g.

171. (Previously presented) A process according to Claim 170, wherein said hardness ranges from 20 g to 600 g.

172. (Previously presented) A process for non-migrating deposit of a foundation composition comprising at least one continuous liquid fatty phase comprising structuring said fatty phase with a sufficient amount of at least one structuring polymer, wherein said at least one structuring polymer is chosen from polymers of formula (I) below:



in which:

-  $n$  is an integer which represents the number of amide units such that the number of ester groups present in said at least one structuring polymer ranges

from 10% to 50% of the total number of all said ester groups and all said amide groups comprised in said at least one structuring polymer;

- $R^1$ , which are identical or different, are each chosen from alkyl groups with at least 4 carbon atoms and alkenyl groups with at least 4 carbon atoms;


- $R^2$ , which are identical or different, are each chosen from  $C_4$  to  $C_{42}$  hydrocarbon-based groups with the proviso that at least 50% of  $R^2$  are chosen from  $C_{30}$  to  $C_{42}$  hydrocarbon-based groups;

- $R^3$ , which are identical or different, are each chosen from  $C_2$  to  $C_{36}$  hydrocarbon-based groups; and

- $R^4$ , which are identical or different, are each chosen from hydrogen and  $C_1$  to  $C_{10}$  alkyl groups, with the proviso that at least 50% of all  $R^4$  are chosen from hydrogen; and

wherein said foundation composition further comprises at least one dyestuff chosen from pigments and nacles.

173. (Previously presented) A process for non-migrating deposit of a composition for making up at least one keratinous material comprising at least one continuous liquid fatty phase comprising structuring said fatty phase with a sufficient amount of at least one structuring polymer, wherein said at least one structuring polymer is chosen from polymers of formula (I) below:



in which:

- $n$  is an integer which represents the number of amide units such that the number of ester groups present in said at least one structuring polymer ranges from 10% to 50% of the total number of all said ester groups and all said amide groups comprised in said at least one structuring polymer;

- $R^1$ , which are identical or different, are each chosen from alkyl groups with at least 4 carbon atoms and alkenyl groups with at least 4 carbon atoms;

- $R^2$ , which are identical or different, are each chosen from  $C_4$  to  $C_{42}$  hydrocarbon-based groups with the proviso that at least 50% of  $R^2$  are chosen from  $C_{30}$  to  $C_{42}$  hydrocarbon-based groups;

- $R^3$ , which are identical or different, are each chosen from  $C_2$  to  $C_{36}$  hydrocarbon-based groups; and

- $R^4$ , which are identical or different, are each chosen from hydrogen and  $C_1$  to  $C_{10}$  alkyl groups, with the proviso that at least 50% of all  $R^4$  are chosen from hydrogen; and

wherein said composition for making up at least one keratinous material further comprises at least one dyestuff chosen from pigments and nacles.

174. (Previously presented) A process according to claim 173, wherein said at least one structuring polymer is chosen from ethylenediamine/stearyl dimer tallate copolymer.